Shoreline Cruise Documents

Operating Checklist 1 page
Pump Out Procedures 1 page
Standards For Daily Log 1 page
Notice: Attention to Captains Docking at Sagamore 1 page
Emergency Response Plan 2 pages
2005 Emergency Station Billet 1 page
Emergency Station & Procedures 1 page
Person Overboard Procedure 1 page
Islands of Lake George Map 2 pages

OPERATING CHECK LIST

- 1. CHECK ENGINES- IF COOLANT CAN BE REACHED DO NOT ADD.
- 2. IF OIL LEVEL IS ABOVE OR ON "LOW" MARK- DO NOT ADD.
- 3. CHECK GENERATOR USE ONLY ON NIGHT CRUISES!!!
- 4. START GENERATOR (IF TO BE USED) SET THROTTLE AT 60 CYCLES WITH LOAD ON LINE (CABIN LIGHTS ON)
- 5. START DIESEL- CHECK TORQUE CONVERTORS AFTER WARM UP.
- 6. NIGHT TIME CRUISES- MAKE SURE RUNNING LIGHTS ARE ON & WORKING.
- 7. UNHOOK SHORE POWER
- 8. <u>Cast off lines- Make sure all lines are ON BOARD</u> or <u>COILED O</u> DOCK.
- 9. TURN ON PUMP FOR HEADS AT BOARDING.
- 10. TURN OFF UPON RETURN.

Operator Training Records

PUMP OUT PROCEDURES

- 1. Get the pump (preferably the gray pump) from underneath the restaurant and bring to the dock (either Horicon or Adirondack) depending on which boat needs pumping.
- 2. Line up the pump with the arrows (output) facing the ticket booth or that the upright cylinder on pump is facing towards the lake.

3. Check the pump for gas before hooking up the hoses!

4. Hook up the hoses in the following order:

Horicon:

- a. black hose (two female ends) going from boat(s) to pump on the INLET side.
- b. Light green hose (one male and one female end) to OUTLET side of pump.
- c. Light green hose (two female ends) from previous hose to valve under manhole cover next to ticket booth.
- d. Make sure that all female ends have the rubber gaskets in them before attaching each hose!
- 5. Attach black hose to fitting on the bow of Horicon then 0pen the valve at the fitting next to ticket booth.
- 6. Check all connections for leaks throughout the pumping process.
- 7. Check to see if the pumping of the boat(s) is done by either opening the tank (in the case of the Horicon) or by lifting the black hose (if light in weight then pumping if complete).
- 8. Once all boats are pumped out, place the black hose in the lake with the end under the surface no more than two feet (to ensure no sand or debris enters hose) and continue pumping for ten to fifteen minutes.
- 9. Remove black hose from lake, shut down the pump, and then close the valve next to ticket booth. Then drain all hoses of any remaining water. Put away all equipment.

STANDARDS FOR DAILY LOG

- 1.BOUND OR PRENUMBERED PAGES IN A RINGED BINDER.
- 2. Applies to vessels carrying more than 50 passengers.
- 3. An entry must be made every time vessel leaves or returns to dock.
 - A) CONSECUTIVE VOYAGE NUMBER FOR EACH TRIP MADE WITH PASSENGERS ONBOA
 - B) IF VESSEL LEAVES DOCK FOR TRIAL RUN AFTER REPAIRS OR ANY OTHER REASON ENTRY IS REQUIRED BUT VOYAGE NUMBER NEED NOT BE ASSIGNED.
 - C) EACH VOYAGE ENTRY MUST INCLUDE:
 - 1. MASTER'S NAME
 - 2. CREW'S FULL NAME
 - 3. NUMBER OF PASSENGERS ON BOARD
 - 4. DATE
 - 5. TIME OF DEPARTURE/ARRIVAL
 - 6. Any Breakdown and / or repairs
 - 7. Any accidents or Extraordinary Occurrences
 - 8. MASTERS SIGNATURE AND AFFIVIDAVIT THAT THE ABOVE ENTRY IS CORRECT
 - 9. Any Fire and Emergency Drills.
 - D) AN ENTRY ONCE A DAY SHOULD BE MADE TO INCLUDE:
 - 1. CHECK ALL MACHINERY, STEERING GEAR, WHISTLE AND ALL COMMUNICAT EQUIPMENT.
 - 2. FUEL DATA TO INCLUDE ANY FUEL TRANSFERRED AND AT LEAST ONE SOUN OF FUEL TANKS PER DAY.
 - 3. A CHECK OF FIRE AND SMOKE DETECTION SYSTEM'S, P.F.D.'S BUOYANT APPARATUS AND ANY OTHER EMERGENCY EQUIPMENT.
 - E) AN ENTRY ONCE A MONTH SHALL BE MADE TO INCLUDE:
 - 1. FIRE AND EMERGENCY DRILLS- DRILL SHOULD INCLUDE THE INSTRUCTION ALL CREW MEMBERS IN :
 - A) DONNING OF PFD'S
 - B) THE LOCATION OF ALL EMERGENCY EQUIPMENT
 - C) THE PROPER USE OF ALL EMERGENCY EQUIPMENT.
- 4. A COPY OF AN EMERGENCY RESPONSES PLAN SHALL BE ATTACHED TO THE INSIDE COV THE VESSELS LOG BOOK.
- 5. THE LOG BOOK SHALL BE KEPT ON BOARD THE VESSEL AT ALL TIMES AND BE AVAILAE FOR INSPECTION BY ANY NYS MARINE SERVICE REPRESENTATIVE OR HIS REPRESENTATIVE
- 6. Log books shall be kept for a period of 5 years after completion of the N_{ℓ} tion season in a secure location at the vessel owner's discretion.

ATTENTION CAPTAINS DOCKING AT SAGAMORE!

PRIOR TO DOCKING (AT LEAST 15 MINUTES)

PLEASE CALL WATERFRONT MANAGER AT 743-6030

RADIO SAGAMORE WATERFRONT ON CHANNEL 16

LET THEM KNOWTHAT THE HORICON/DEFIANCE WILL BE DOCKING AT
THE SOUTH VERANDA DOCK TO:

"PLEASE CLEAR THE AREA"

EMERGENCY RESPONSE PLAN

USE RADIO CHANNEL 16

A. VESSELS' OWNER: SHORELINE CRUISE INC., SEAN J. QUIRK, PRES.

ADIRONDAC HORICON **OFFICE** ЛМ @ TRANS TALK RESTAURANT JIM @ HOME KING NEPTUNE JIM @ CELL SEAN @ CELL DENIS @ CELL * Bill H B. AMBULANCE SQUADS

DAIL OPERATOR

C. FIRE DEPARTMENTS

DAIL 911

D. LOCAL MARINE PATROLS

668-9347 LAKE GEORGE PARK COMMISSION

1-800-342-4357 NEW YORK STATE POLICE

E. LOCAL LAW ENFORCEMENT AGENCY

644-9717 OR 911 **BOLTON POLICE**

761-6477 LAKE GEORGE SHERIFF

WARREN COUNTY SHERIFF DEPARTMENT 911

WASHINGTON COUNTY EMERGENCY SERVICE 747-7520

F. HOSPITALS

926-1000 GLENS FALLS HOSPITAL

GLENS FALLS HOSPITAL EMERGENCY 926-3000

623-4911 WARRENSBURG EMERGENCY SERVICE

G. DEFIANCE LANDINGS:

DUNHAM'S BAY HAUGE

HUELET'S LANDING

LAKE GEORGE CLUB ROGERS PARK

TROUT LAKE PAVILLION

SAGAMORE RESORT STEEL PIER

SHORELINE MARINA

H. HORICON LANDINGS:

DUNHAM'S BAY

HAUGE

HUELET'S LANDING

LAKE GEORGE CLUB

ROGER'S PARK

SAGAMORE RESORT

SHORELINE MARINA

SILVER BAY

TROUT LAKE PAVILION

2005 EMERGENCY STATION BILLET

		MAN OVERBOARD MAKE TURN TO CORRECT	ABANDON SHIP
APTAIN			MAKE TO SHALLOW
AB - 1	I MINIMOENENT	SIDE, SIGNAL	WATER & NOTIFY CREW
	& SOUND ALARM	RETRIEVE PERSON	
	TURN OVER WHEEL		
	TO AB: REPORT TO FIRE		
			(DK 1) CROWD CONTROL
	REPORT TO BRIDGE	SPOT PERSON	& HELP PASSENGERS W
A5 - 1	TAKE OVER WHEEL	TOSS RING BUOY	
	Will Carrie and		LIFE JACKETS
		SACCOPPER OF THE PROPERTY OF T	MAIN DECK
			LA CONTROL CONTROL
AB - 2	STAND BY TO TURN ON Fr.	THROW RING	(DK 2) CROWD CONTROL & HELP PASSENGERS W
AD - 4	Pp & BRING HOSE TO FIRE	SPOT PERSON	LIFE JACKETS
		page de la constante de la con	
		Section 2015	2ND DECK
	Has constant		(DK 2) CROWD CONTROL
OS -1	FIRE EXTINGUISHER	SPOT PERSON	(DK 2) CROWD CONTROL & HELP PASSENGERS W
US -1	TO FIRE	SET LADDER	
			LIFE JACKETS
	RECOGNISIONS OF THE PROPERTY O		2ND DECK
			(DK 3) CROWD CONTROL
OS - 2	FIRE EXTINGUISHER	SPOT PERSON	& HELP PASSENGERS W
UU - 2	TOFIRE	HELP WILADDER	LIFE JACKETS
		& CROWD CONTROL	MAIN DECK
	A THE WASHINGTON	45 (C) 15	
			(DK 1) CROWD CONTROL
OS - 3	DECK - 1 CROWD CONTROL	. SPOT PERSUN	& HELP PASSENGERS W
		CROWD CONTROL	LIFE JACKETS
		i de la companya de l	2ND DECK
		SPOT PERSON	(DK 2) CROWD CONTROL
OS - 4	DECK - 2 CROWD CONTROL	_ ISPUT PERSUM CROWD CONTROL	& HELP PASSENGERS W
		CKOAN OOM IIO	LIFE JACKETS
			3RD DECK
	99/00/00/00		
		ISPOT PERSON	(DK 3) CROWD CONTRO
OS - 5	DECK - 3 CROWD CONTRO	CROWD CONTROL	& HELP PASSENGERS W
		CILOARD OCIATION	LIFE JACKETS
	Seas Person	G.A.A.A.A.A.A.A.A.A.A.A.A.A.A.A.A.A.A.A	3RD DECK
	GET WAS TO		
		CROWD CONTROL	ASSIST CAPT.
OS - 6 OS - 7	ASSIST CAPT.	Ereffater more eregon	
		ASSIST CAPT.	ASSIST CAPT.
	ASSIST CAPT.		Strong and a second

AB: ABLE BODY SEAMEN OS: ORDINARY SEAMEN

EMERGENCY STATION & PROCEDURES

By Direction of Shoreline Cruise, Inc. (J.Quirk), all crew members on board will familize themselves with the vessel as indicated. There will be no exceptions except as may be died by the captain. Variations are expected according to conditions. Assignment for crew uthe following conditions will be specifically made.

FIRE:

IMMEDIATE NOTIFICATION TO CAPTAIN (PILOT HOUSE)

- A) LOCATION ON VESSEL
- B) Type and intensity of fire
- c) IF POSSIBLE EXTINGUISH BLAZE IMMEDIATELY

In that there will always be at least 2 crew members on board. One (assigned by capt will immediately report to captain in pilot house. Number two crew member will stand at fil location until the captain arrives. (approx. 30 seconds) If there are other crew members of board they will conduct themselves as follows:

- A) AVAILABLE MEMBERS WILL REPORT TO FIRE LOCATION- AND TAKE NO ACTION OTHER THAN TO F
 PASSENGERS AWAY FROM THE AREA OF THE FIRE UNTIL LICENSED PERSONNEL ARRIVE TO THE SCENE.
- * NOTE- IF EXTRA WAITSTAFF IS ON BOARD ONE PERSON WILL STAND BY EACH BAR IF OPEN, AND PERSON BY OPEN HATCH(DOOR) IN MAIN DECK.

Under no circumstances, will any crew member conduct themselves in any manner we may panic or upset passengers. Be Calm, Be Specific, Be Firm, Control is what is needed.

DO NOT DIRECT PASSENGERS TO USE P.F.D.'S UNLESS INSTRUCTED DIRECT BY THE CAPTAIN.

ALL CREW MEMBERS WILL BE EDUCATED WITH REGARD TO THIS PROCEDURE. IF YOU HAVE NOT I DISCUSSIONS IN THIS REGARD YOU ARE TO IMMEDIATELY CONTACT THE CAPTAIN. IT IS YOUR RESPONSIB


PERSON OVERBOARD PROCEDURE

- A. IMMEDIATE NOTIFICATION TO CAPTAIN FOLLOWED BY CONSTANT COMMUNICATION.
- B. TAKE CHARGE OF SITUATION AVOIDING ASSISTANCE FROM PASSENGERS UNLESS NECESSARY. (AVOID PANIC, BE CALM)
- C. As boat is being positioned for recovery of person, ready ring buoy or throwing device for throwing to person, determine most likely deck from which to throw device.
- D. KEEP PASSENGERS AWAY FROM IMMEDIATE RECOVERY AREA.
- E. BRING PERSON ON BOARD CAREFULLY, BE SURE NOT TO INJURE ANYONE.

* NOTE: IF PERSON OVERBOARD IS APPARENTLY UNCONSCIOUS OR OTHER CONDITION, I.E. UNABLE TO SWIM, ETC., NO PERSON WILL ENTER WATER TO ASSIST WITHOUT FIRST DONNING P.F.D. THIS METHOD OF RESCUE IS TAKEN ONLY AFTER ALL ELSE FAILS.

ALL SUCH INCIDENTS MUST BE REPORTED TO THE CAPTAIN BEFORE TAKEN STEPS TO RECOVER. IT MUST BE REMEMBERED THAT DECISIONS REGARDING SUCH SITUATIONS MUST BE MADE BY THE CAPTAIN, WHICH MAY EFFECT THE VESSEL AND ALL PERSONS ABOARD.

F. AFTER COMPLETION OF RESCUE, BE SURE TO REPORT TO THE CAPTAIN YOUR STATUS AND CAPTAIN WILL NOTIFY PASSENGERS AND CREW OF THE RESCUE STATUS.



Exit 21-

ភាពខ 🗓

